AUTHOR INDEX

Ajtony, Zs., 87
Allibert, C. H., L1

Bach, H., 47
Bastide, J. P., L19
Bauhofer, W., 227
Bérar, J. F., 165
Bouamrane, A., L19
Bros, H., L15

Carpenter, J. H., 35
Castanet, R., L15
Chamberland, B. L., 311
Chuang, Y. C., 67
Chunlin, J., 349, L5
Cockcroft, J. K., 227
Cousson, A., 339

De Boer, F. R., 67
Deneuve, F., 165
Dommann, A., 1

Ecochard, F., 165
Ehmann, A., L27
Elsenhans, O., 171
Ericsson, T., 295

Fischer, P., 171
Flanagan, T. B., 115, 213
François, M., 203
Fries, T., L27

Gable, D. R., 157
Gamari-Seale, E., 287
Gasperin, M., 339
Girgis, K., 171
Golubkov, A. V., 47
Grabowski, N. A., 311
Gutau, W., L11

Han, J. I., 319, 329
He, L., 339
Hevesi, I., L23
Hjörvarsson, B., 295
Huang, Y.-K., 67
Hulliger, F., 1

Ikeda, K., 261
Ilmenkov, G. V., 47
Isobe, Y., 177, 239, 251
Itami, T., 75

Jia, Y. Q., 25
Jin, M. Z., 25
Jove, J., 339

Kafalas, J. A., 311
Kaposi, O., 87
Karlsson, E., 295
Kasemo, B., 295
Kemmler-Sack, S., L27
Kiemel, R., L27
Kleykamp, H., 15
Kotsanidis, P., 287
Kovács, I., L27
Krozer, A., 295
Kuji, T., 213
Kuznetsov, N. T., 275

Lee, J.-Y., 319, 329
Lelik, L., 87
Li, X., 261
Lösch, S., L27

Malaman, B., 51, 185, 203
Marsel, J., 87
Marsh, R. E., 1
Mattausch, Hj., 227
Mayer-von Kürthy, G., L27
Methfessel, S., 47
Mevs, H., 139
Miyake, M., 177, 239, 251
Müller-Buschbaum, Hk., 7, 139, L11
Mullica, D. F., 157

Nánai, L., L23

Osseo-Asare, K., 103

Pitsch, H., 165
Popović, A., 87

Radwański, R. J., 67
Rogez, J., L15
Rohweder, U., 7
Roques, B., 51, 185, 203
Rydén, J., 295

Sakamoto, Y., 115, 127
Sappenfield, E. L., 157
Schlichenmaier, M., L27
Schmidt, F. A., 145
Sergeeva, V. M., 47
Shilov, A. L., 275
Shimoji, M., 75
Shirakawa, H., 251
Simon, A., 227
Son, P., 239, 251
Sun, X. K., 67

Takao, K., 115, 127
Takeda, S., 127
Takeda, T., 127
Tanaka, M., 177
Tims, T. A., 157

Uz, M., 145

Vajtai, R., L23
van der Lugt, W., 75
Venturini, G., 51, 185, 203

Wang, Ch., 171

Xue, T., 103

Yakinthos, J. K., 287
Yamanaka, S., 177
Yang, F.-M., 67
Yazawa, Y., 239
Yoshida, M., 115

Zhang, Z,-D., 67
Zhanguo, F., L5
Zhengping, X., 349

© Elsevier Sequoia/Printed in The Netherlands

SUBJECT INDEX

Aluminium
crystal and magnetic structure of the $Tm_8Ga_2Al_{14}$ alloy, 171

Boron
calorimetric investigation of the Pt_3B–Pt_2B eutectic, L15
effect of Nb and Zr on the phases present in Nd–Fe–B alloys for permanent magnets, L1
magnetic properties of $(Nd,Y)_2Fe_{14}B$ and $(Nd,Gd)_2Fe_{14}B$, 67
standard Gibbs free energy of formation of $Nd_{1.1}Fe_4B_4$ and $Nd_2Fe_{14}B$, 349

Carbides
magnetic properties of the ternary carbides of the rare earth and Ni group metals, 287
Chemical vapour deposition
chemical vapour deposition of Re on graphite, 177
Cobalt
evolution of coordinations in the isotypic structures $U_2CO_3Si_5$: $R_2T_3X_5$ (R ≡ La, Y; T ≡ Ru, Rh, Ir; X ≡ Si, Ge, Sn), 51

Deuterides
electrical resistivity and magnetic ordering of Gd and Tb bromide deuterides, $LnBrD_x$ ($2/3 < x \leqslant 1$), 227
Didymium
1–2–3 superconductor containing "didymium" substituted for Y, 311
Differential scanning calorimetry
study of the Li–Ga system by differential scanning calorimetry, 75
Double-layer coatings
chemically vapour-deposited Mo/Re double-layer coating on graphite at elevated temperatures, 239
Dysprosium
order–disorder transitions of the $Pd_7Dy(Y)$ phase in Pd–Dy(Y) alloys, 115

Europium
powder diffraction study of mixed Y–Eu oxalates and oxides, 165
study of the Mössbauer effect of Eu orthophosphate crystals, 25

Ferromagnetism
electrical resistivity and ferromagnetism in Ni–Ga alloys, 261
Fluorine
hydrogen fluorides of Mg and K $KMgH_2F$, $KMgHF_2$, L19

Gadolinium
electrical resistivity and magnetic ordering of Gd and Tb bromide deuterides, $LnBrD_x$ ($2/3 < x \leqslant 1$), 227
magnetic properties of $(Nd,Y)_2Fe_{14}B$ and $(Nd,Gd)_2Fe_{14}B$, 67
Gallium
crystal and magnetic structure of the $Tm_8Ga_2Al_{14}$ alloy, 171
electrical resistivity and ferromagnetism in Ni–Ga alloys, 261
study of the Li–Ga system by differential scanning calorimetry, 75
Germanium
effects of rare earth atomic sizes on structures of the type $YIrGe_2$. Atomic distribution in $LaTmIr_2Ge_4$, 203

Holmium
molecular composition and thermodynamic equilibria in vapour over the NaI–HoI_3 condensed phase, 87
Hydrides
hysteresis in metal hydrides evaluated from data at constant hydrogen content: application to Pd–H, 213
peculiarities of the behaviour of hydride systems related to mechanisms of phase transitions, 275
unusual kinetics of hydride formation in Mg–Pd sandwiches, studied by hydrogen profiling and quartz

© Elsevier Sequoia/Printed in The Netherlands

crystal microbalance measurements, 295
Hydriding–dehydriding
effect of CO impurity on the hydrogenation properties of $LaNi_5$, $LaNi_{4.7}Al_{0.3}$ and $MmNi_{4.5}Al_{0.5}$ during hydriding–dehydriding cycling, 319
influence of O_2 impurity on the hydrogenation properties of $LaNi_5$, $LaNi_{4.7}Al_{0.3}$ and $MmNi_{4.5}Al_{0.5}$ during long-term pressure-induced hydriding–dehydriding cycling, 329
Hydrogen
hysteresis in metal hydrides evaluated from data at constant hydrogen content: application of Pd–H, 213
Hydrogen fluorides
hydrogen fluorides of Mg and K $KMgH_2F$, $KMgHF_2$, L19
Hydrogen profiling
unusual kinetics of hydride formation in Mg–Pd sandwiches, studied by hydrogen profiling and quartz crystal microbalance measurements, 295
Hydrogenation
effect of CO impurity on the hydrogenation properties of $LaNi_5$, $LaNi_{4.7}Al_{0.3}$ and $MmNi_{4.5}Al_{0.5}$ during hydriding–dehydriding cycling, 319
influence of O_2 impurity on the hydrogenation properties of $LaNi_5$, $LaNi_{4.7}Al_{0.3}$ and $MmNi_{4.5}Al_{0.5}$ during long-term pressure-induced hydriding–dehydriding cycling, 329
Hysteresis
hysteresis in metal hydrides evaluated from data at constant hydrogen content: application to Pd–H, 213

Indium
crystal structural analyses of 1:3 (Lu, In)$(OH)_3$ and 1:3 (Yb,In)$(OH)_3$, 157
Iridium
atomic distribution in the alloys of type $Sc_5Co_4Si_{10}$: $(Lu,Sc)_5Ir_4Si_{10}$, $(Y,Sc)_5Ir_4Si_{10}$, $(Y,Tm)_5Os_4Ge_{10}$, $(Ca,Lu)_5Rh_4Ge_{10}$ and $(La,Y)_5Rh_4Sn_{10}$, 185
effects of rare earth atomic sizes on structures of the type $YIrGe_2$. Atomic distribution in $LaTmIr_2Ge_4$, 203
equilibrium reaction of Ir and O_2 at high temperatures, 35

Kinetics
kinetics of laser-light-induced oxidation constants of V, L23
unusual kinetics of hydride formation in Mg–Pd sandwiches, studied by hydrogen profiling and quartz crystal microbalance measurements, 295

Lanthanum
effect of CO impurity on the hydrogenation properties of $LaNi_5$, $LaNi_{4.7}Al_{0.3}$ and $MmNi_{4.5}Al_{0.5}$ during hydriding–dehydriding cycling, 319
effects of rare earth atomic sizes on structures of the type $YIrGe_2$. Atomic distribution in $LaTmIr_2Ge_4$, 203
evolution of coordinations in the isotypic structures $U_2CO_3Si_5$: $R_2T_3X_5$ (R ≡ La, Y; T ≡ Ru, Rh, Ir; X ≡ Si, Ge, Sn), 51
influence of O_2 impurity on the hydrogenation properties of $LaNi_5$, $LaNi_{4.7}Al_{0.3}$ and $MmNi_{4.5}Al_{0.5}$ during long-term pressure-induced hydriding–dehydriding cycling, 329
phase diagram of the LaS–SmS system, 47
Lasers
kinetics of laser-light-induced oxidation constants of V, L23
Lithium
study of the Li–Ga system by differential scanning calorimetry, 75
Lutetium
atomic distribution in the alloys of type $Sc_5Co_4Si_{10}$: $(Lu,Sc)_5Ir_4Si_{10}$, $(Y,Sc)_5Ir_4Si_{10}$, $(Y,Tm)_5Os_4Ge_{10}$, $(Ca,Lu)_5Rh_4Ge_{10}$ and $(La,Y)_5Rh_4Sn_{10}$, 185
crystal structural analyses of 1:3 (Lu,In)$(OH)_3$ and 1:3 (Yb,In)$(OH)_3$, 157

Magnesium
unusual kinetics of hydride formation in Mg–Pd sandwiches, studied by hydrogen profiling and quartz crystal microbalance measurements, 295

Magnetic properties
crystal and magnetic structure of the $Tm_8Ga_2Al_{14}$ alloy, 171
electrical resistivity and magnetic ordering of Gd and Tb bromide deuterides, $LnBrD_x$ ($2/3 < x \leq 1$), 227
magnetic properties of $(Nd,Y)_2Fe_{14}B$ and $(Nd,Gd)_2Fe_{14}B$, 67
magnetic properties of the ternary carbides of the rare earth and Ni group metals, 287
Manganese
crystal chemistry of oxotantalate IV. Information on the metastable high temperature compound $Mn_2Zn_3Ta_6O_{20}$, 7
Mass transport
atomic mass transport of C in the one-phase Nb–1Zr–C system under a temperature gradient, 145
Molybdenum
chemically vapour-deposited Mo/Re double-layer coating on graphite at elevated temperatures, 239
thermal shock resistance of chemically vapour-deposited Mo coatings on graphite, 251
Mössbauer effect
structure of a mixed valence uranium oxide and Mössbauer spectroscopy (^{237}Np) of an Np oxide isotype, 339
study of the Mössbauer effect of Eu orthophosphate crystals, 25

Neodymium
effect of Nb and Zr on the phases present in Nd–Fe–B alloys for permanent magnets, L1
magnetic properties of $(Nd,Y)_2Fe_{14}B$ and $(Nd,Gd)_2Fe_{14}B$, 67
standard Gibbs free energy of formation of $Nd_{1.1}Fe_4B_4$ and $Nd_2Fe_{14}B$, 349
two new $BaNiLn_2O_5$-type compounds: $BaCoNd_2O_5$ and $BaCoSm_2O_5$, 139
Neptunium
structure of a mixed valence uranium oxide and Mössbauer spectroscopy (^{237}Np) of an Np oxide isotype, 339
Nickel
effect of CO impurity on the hydrogenation properties of $LaNi_5$, $LaNi_{4.7}Al_{0.3}$ and $MmNi_{4.5}Al_{0.5}$ during hydriding–dehydriding cycling, 319
electrical resistivity and ferromagnetism in Ni–Ga alloys, 261
influence of O_2 impurity on the hydrogenation properties of $LaNi_5$, $LaNi_{4.7}Al_{0.3}$ and $MmNi_{4.5}Al_{0.5}$ during long-term pressure-induced hydriding–dehydriding cycling, 329
magnetic properties of the ternary carbides of the rare earth and Ni group metals, 287
two new $BaNiLn_2O_5$-type compounds: $BaCoNd_2O_5$ and $BaCoSm_2O_5$, 139
Niobium
atomic mass transport of C in the one-phase Nb–1Zr–C system under a temperature gradient, 145
effect of Nb and Zr on the phases present in Nd–Fe–B alloys for permanent magnets, L1

Order–disorder transitions
order–disorder transitions of the $Pd_7Dy(Y)$ phase in Pd–Dy(Y) alloys, 115
Osmium
atomic distribution in the alloys of type $Sc_5Co_4Si_{10}$: $(Lu,Sc)_5Ir_4Si_{10}$, $(Y,Sc)_5Ir_4Si_{10}$, $(Y,Tm)_5Os_4Ge_{10}$, $(Ca,Lu)_5Rh_4Ge_{10}$ and $(La,Y)_5Rh_4Sn_{10}$, 185
Oxidation constants
kinetics of laser-light-induced oxidation constants of V, L23

Palladium
evidence for an ordered Pd_7Sm phase in Pd–Sm alloys, 127
hysteresis in metal hydrides evaluated from data at constant hydrogen con-
order–disorder transitions of the $Pd_7Dy(Y)$ phase in Pd–Dy(Y) alloys, 115
unusual kinetics of hydride formation in Mg–Pd sandwiches, studied by hydrogen profiling and quartz crystal microbalance measurements, 295
Platinum
calorimetric investigation of the Pt_3B–Pt_2B eutectic, L15

Pressure-induced hydriding–dehydriding
influence of O_2 impurity on the hydrogenation properties of $LaNi_5$, $LaNi_{4.7}Al_{0.3}$ and $MmNi_{4.5}Al_{0.5}$ during long-term pressure-induced hydriding–dehydriding cycling, 329

Quartz crystal microbalance
unusual kinetics of hydride formation in Mg–Pd sandwiches, studied by hydrogen profiling and quartz crystal microbalance measurements, 295

Rhenium
chemical vapour deposition of Re on graphite, 177
chemically vapour-deposited Mo/Re double-layer coating on graphite at elevated temperatures, 239
Rhodium
evolution of coordinations in the isotypic structures $U_2CO_3Si_5$: $R_2T_3X_5$ (R ≡ La, Y; T ≡ Ru, Rh, Ir; X ≡ Si, Ge, Sn), 51
thermodynamics of the Ta–Rh system, 15
Ruthenium
evolution of coordinations in the isotypic structures $U_2CO_3Si_5$: $R_2T_3X_5$ (R ≡ La, Y; T ≡ Ru, Rh, Ir; X ≡ Si, Ge, Sn), 51
heterogeneous equilibria in the Ru–H_2O, Ru–Cl–H_2O and Ru–S–H_2O systems, 103

Samarium
evidence for an ordered Pd_7Sm phase in Pd–Sm alloys, 127
phase diagram of the LaS–SmS system, 47
two new $BaNiLn_2O_5$-type compounds: $BaCoNd_2O_5$ and $BaCoSm_2O_5$, 139
Scandium
atomic distribution in the alloys of type $Sc_5Co_4Si_{10}$: $(Lu,Sc)_5Ir_4Si_{10}$, $(Y,Sc)_5Ir_4Si_{10}$, $(Y,Tm)_5Os_4Ge_{10}$, $(Ca,Lu)_5Rh_4Ge_{10}$ and $(La,Y)_5Rh_4Sn_{10}$, 185
Silicon
evolution of coordinations in the isotypic structures $U_2CO_3Si_5$: $R_2T_3X_5$ (R ≡ La, Y; T ≡ Ru, Rh, Ir; X ≡ Si, Ge, Sn), 51

Stacking polytypes
stacking polytypes in the system Bi/Pb–Sr–Fe–O of type $A_2Sr_2A_{n-1}Fe_nO_{3.5+3n+z}$ (n = 2,3,4), L27
Strontium
stacking polytypes in the system Bi/Pb–Sr–Fe–O of type $A_2Sr_2A_{n-1}Fe_nO_{3.5+3n+z}$ (n = 2,3,4), L27
Superconductors
1–2–3 superconductor containing "didymium" substituted for Y, 311

Tantalum
crystal chemistry of oxotantalate IV. Information on the metastable high temperature compound $Mn_2Zn_3Ta_6O_{20}$, 7
thermodynamics of the Ta–Rh system, 15
Terbium
electrical resistivity and magnetic ordering of Gd and Tb bromide deuterides, $LnBrD_x$ ($2/3 < x \leqslant 1$), 227
Thermal shock resistance
thermal shock resistance of chemically vapour-deposited Mo coatings on graphite, 251
Thulium
atomic distribution in the alloys of type $Sc_5Co_4Si_{10}$: $(Lu,Sc)_5Ir_4Si_{10}$, $(Y,Sc)_5Ir_4Si_{10}$, $(Y,Tm)_5Os_4Ge_{10}$, $(Ca,Lu)_5Rh_4Ge_{10}$ and $(La,Y)_5Rh_4Sn_{10}$, 185
crystal and magnetic structure of the $Tm_8Ga_2Al_{14}$ alloy, 171
effects of rare earth atomic sizes on structures of the type $YIrGe_2$. Atomic distribution in $LaTmIr_2Ge_4$, 203

Uranium
evolution of coordinations in the isotypic structures $U_2CO_3Si_5$: $R_2T_3X_5$ (R ≡ La, Y; T ≡ Ru, Rh, Ir; X ≡ Si, Ge, Sn), 51
structure of a mixed valence uranium oxide and Mössbauer spectroscopy (^{237}Np) of an Np oxide isotype, 339

Vanadium
kinetics of laser-light-induced oxidation constants of V, L23

Vapour deposition
chemically vapour-deposited Mo/Re double-layer coating on graphite at elevated temperatures, 239
thermal shock resistance of chemically vapour-deposited Mo coatings on graphite, 251

Ytterbium
crystal structural analyses of 1:3 $(Lu,In)(OH)_3$ and 1:3 $(Yb,In)(OH)_3$, 157

Yttrium
atomic distribution in the alloys of type $Sc_5Co_4Si_{10}$: $(Lu,Sc)_5Ir_4Si_{10}$, $(Y,Sc)_5Ir_4Si_{10}$, $(Y,Tm)_5Os_4Ge_{10}$, $(Ca,Lu)_5Rh_4Ge_{10}$ and $(La,Y)_5Rh_4Sn_{10}$, 185
effects of rare earth atomic sizes on structures of the type $YIrGe_2$. Atomic distribution in $LaTmIr_2Ge_4$, 203
kinetics of formation of superconducting $YBa_2Cu_3O_{6.5+\delta}$ from constituent compounds $BaCuO_2$ and $Y_2Cu_2O_5$, L5
magnetic properties of $(Nd,Y)_2Fe_{14}B$ and $(Nd,Gd)_2Fe_{14}B$, 67
order–disorder transitions of the $Pd_7Dy(Y)$ phase in Pd–Dy(Y) alloys, 115
powder diffraction study of mixed Y–Eu oxalates and oxides, 165
1–2–3 superconductor containing "didymium" substituted for Y, 311

Zinc
crystal structure of ZnP_4, 1

Zirconium
atomic mass transport of C in the one-phase Nb–1Zr–C system under a temperature gradient, 145
crystal chemistry of oxotantalate IV. Information on the metastable high temperature compound $Mn_2Zn_3Ta_6O_{20}$, 7
effect of Nb and Zr on the phases present in Nd–Fe–B alloys for permanent magnets, L1